Honda Motorcycle and Scooter India Pvt. Ltd.

Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana), India; Website: www.honda2wheelersindia.com Customer Care: customercare@honda2wheelersindia.com

A QUIET REVOLUTION

Dealer Stamp:



Introducing

Change the game

For about two decades, Activa has been changing the game in Indian scootering. With the latest technological innovation, Activa 6G changes the world of scootering all over again. It is equipped with the new eSP technology along with incredible new features like the revolutionary silent start, telescopic suspension, double lid external fuel fill, Front 90/90-12 Tubeless Tyre and 10% more mileage. In short, with the all new Activa 6G and its **BS-VI** engine, Honda scores a magnificent, game changing 6!

Telescopic Suspension




Tubeless Tyre Every uneven path will feel as flat as a batting

pitch with Activa 6G's bigger front wheel.



Hit it out of the park with the globally acclaimed technology that helps in silent start, reduces friction and increases mileage by 10%[^].











Silent Start with ACG

The winning combination of a completely new engine platform and Honda's globally acclaimed eSP technology delivers 10% more mileage.

10%[^] More Mileage

Powered by the globally acclaimed
eSP technology which helps in silent start,
the new Activa 6G is the match-winning
hit you've been waiting for. Its ACG
Starter Motor removes gear meshing,
gear engagement noise and reduces
maintenance.







*Technical Specifications

BODY DIMENSIONS	
Length	1833 mm
Width	697 mm
Height	1156 mm
Wheel Base	1260 mm
Ground Clearance	171 mm
Seat Length	692 mm
Kerb Weight	107 kg
Fuel Tank Capacity	5.3 L

TYRES & BRAKES

Tyre Size (Front) 90/90-12 54J

Tyre Size (Rear) 90/100-10 53J

Tyre Type (Front) Tubeless

Tyre Type (Rear) Tubeless

Brake Type & Size (Front) Drum - 130 mm

Brake Type & Size (Rear) Drum - 130 mm

TRANSMISSION

Clutch Type Automatic

LINGINE		
Туре	Fan Cooled, 4 Stroke, SI Engine	
Displacement	109.51 cc	
Max Net Power	5.73 kW @ 8000 rpm	
Max Net Torque	8.79 Nm @ 5250 rpm	
Bore	47.0 mm	
Stroke	63.1 mm	
Fuel System	PGM-Fi	
Compression Ratio	10.0±0.2	
Air Filter Type	Viscous Paper Filter	
Starting Method	Kick/Self	
CAN SUCCESSION OF THE SUCCESSI	AND DESCRIPTION OF THE PROPERTY OF THE PROPERTY OF	

FRAME & SUSPENSION

Frame Type	Under Bone
Front	Telescopic
Rear	3-Step Adjustable Spring Loaded Hydraulic

ELECTRICALS

Battery	3.0 Ah
Headlamp	LED





Pearl Spartan Red









A QUIET REVOLUTION

• +The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • Activa 6G meets Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment • The technical specifications mentioned are for Deluxe variant • ^Mileage has increased by 10% for Activa 6G BS-VI Deluxe variant as compared to the Activa 5G BS-IV Deluxe variant • All features may not be part of all variants